# JOURNAL

OF

# RUBBER RESEARCH INSTITUTE

# OF MALAYA

# INDEX




VOLUME 22, PARTS 1–5, 1969

Communications 497 – 535

# AUTHOR INDEX, VOLUME 22

The number of each Part is indicated in bold


Baker, C.S.L., Barnard, D. and Porter, M. **3** 317
Banerjee, S. *see* Bhatnagar, S.K.
Barnard, D. *see* Baker, C.S.L.
Bekema, N.P. **1** 1
Bhatnagar, S.K. and Banerjee, S. **3** 343
Bristow, G.M., Campbell, J.M. and Farlie, E.D. **2** 225

Cain, M.E., Knight, G.T., Lewis, P.M. and Saville, B. **3** 289
Callan, J.E. *see* Scott, C.E.
Campbell, J.M. *see* Bristow, G.M.
Chasset, R. and Thirion, P. **3** 331
Chin Peng Sung **1** 56
Chin Peng Sung and O'Connell, J. **1** 91
Cockbain, E.G., Gregory, J., Pillay, N.M. and Gorton, A.D.T. **5** 409
Cunneen, J.I. and Russell, R.M. **3** 300

Derham, C.J., Lake, G.J. and Thomas, A.G. **2** 191
D'Ianni, J.D. **2** 214
Dickenson, P.B. **2** 165

Farlie, E.D. *see* Bristow, G.M.
Fernando, M.J. and Nadarajah, M. **5** 430
Fleurot, M. *see* Gyss, P.R.

Ganeshasundaram, S. *see* Nadarajah, M.
Gorton, A.D.T. *see* Cockbain, E.G.
Graham, D.J. **1** 14
Greensmith, H.W. and Watson, A.A. **1** 120
Gregory, J. *see* Cockbain E.G.
Grosch, K.A. **2** 145
Gyss, P.R. and Fleurot, M. **1** 70

Harling, D.F. *see* Medalia, A.I.
Heckman, F.A. *see* Medalia, A.I.
Hess, W.M. *see* Scott, C.E.

Knight, G.T. *see* Cain, M.E.
Krishnaswamy, C.S. **5** 450

Lake, G.J. *see* Derham, C.J.
Lewis, P.M. *see* Cain, M.E.
Lindley, P.B. and Payne, A.R. **2** 176
Lloyd, D.J. **4** 399

McCall, E.B. **3** 354
Medalia, A.I., Heckman, F.A. and Harling, D.F. **4** 381
Morris, J.E. **1** 39

Nadarajah, M. and Ganeshasundaram, S. **5** 423
Nadarajah, M. *see also* Fernando, M.J.
Nair, S. **1** 135

O'Connell, J. *see* Chin Peng Sung
Overberger, C.G. **2** 201

Payne, A.R., Swift, P.M. and Wheelans, M.A. **3** 275
Payne, A.R. *see also* Lindley, P.B.
Philpott, M.W. **5** 441
Pike, M. and Ramage, J. **1** 26
Porter, M. *see* Baker, C.S.L.

Ramage, J. *see* Pike, M.
Russell, R.M. *see* Cunneen J.I.

Saville, B. *see* Cain, M.E.
Scott, C.E., Callan, J.E. and Hess, W.M. **2** 242
Slaby, R.K. **1** 87
Smith, M.G. **1** 78
Snow, C.W. **4** 375
Sumarno Kartowardojo **4** 389
Swift, P.M. *see* Payne, A.R.

Thirion, P. *see* Chasset, R.
Thomas, A.G. *see* Derham, C.J.

Watson, A.A. **1** 104
Watson, A.A. *see also* Greensmith, H.W.
Watson, W.F. **3** 265
Wheelans, M.A. *see* Payne, A.R.
Whitby, G.S. **4** 363
Wood, L.A. **3** 309

Titles of papers are given in italics. To facilitate reference, the number of each Part is indicated in bold.

*A Simple Screening Test for Anti-Oxidants* **4** 363
Acetone extract of *Hevea* **4** 366
Amine-boranes **3** 320, 322
Anti-oxidants:
classification of anti-oxidant power of:
amines **4** 367
azo and hydrazo compounds **4** 368–369
dyes **4** 368
nitroso-phenols and -amines **4** 370
phenols **4** 369
phenol sulphides **4** 369, 371
quinones and quinone imides **4** 367, 371
compounds **3** 291
development of network-bound **3** 289
discolouring **4** 364
examination of commercial **4** 369
for vulcanised rubber **3** 306, 307
power of various substances **4** 372, 373
screening test for **4** 363–373
synergism between **4** 373
use of aromatic C-nitroso compounds **3** 292
Assisted biological coagulation **1** 72

Bitumen:
chemical interaction of NR with **5** 437–439
effect of field latex modified with additives on **5** 436, 437
mixing of latex with **5** 431
properties of rubberised with latex **5** 431–435

Block rubbers:
baling of **1** 21
blending of **1** 21
coagulation for processing **1** 14
dicing machine **1** 17
drying of **1** 20, 81
extruder drier **1** 79
granulators **1** 17, 72, 79
hammermills **1** 18, 80
hoggers **1** 18
latex coagulum cutters **1** 18
machinery for production **1** 79–82
packing of **1** 81
pelletiser **1** 80
preparation of CV **1** 85

Block rubbers (contd.):
processing of coagula from:
cuplumps **1** 83–84
field latex **1** 82–83
lower grade latex **1** 83–84
skim latex **1** 84
production of by mechanical methods **1** 78
size reduction by:
chopper **1** 19
crepers **1** 19
crumblers **1** 19
expeller **1** 19
pelletisers **1** 18
shredder **1** 19
slitting knives **1** 17

Carbon black:
distribution of in blends **2** 248–262
estimation of by physico-chemical methods **4** 375–379
masterbatching **1** 11
particle size and 'structure' of **4** 381–387
studies **2** 246
test methods and stress-strain specifications for **4** 375, 376
Castor oil adhesion in Heveacrumb **1** 8
Chlorobrane vulcanisation of NR **3** 328
Clonal differences in curing characteristics **1** 133
Coagulants:
salts as **4** 395

Coagulation:
effect of methods on dry rubber properties **1** 14–16, 72
processing of various coagula **1** 82
*Comparative Properties of Natural Rubber and Synthetic* Cis-*Polyisoprene* **2** 225
*Compounding Natural Rubber Latex for Improved Performance* **5** 441
*Consumer Appraisals of Natural Rubber* **1** 1
Copper effect on NR **5** 445
*Creep of 'Pure-Gum' Vulcanisates of Natural Rubber* **3** 309

Cross-links:
criteria for new **3** 318
di-sulphidic **3** 317
'ionic' **3** 317
monosulphidic **3** 317
polysulphidic **3** 317

Crumb rubber:
appraisal of **1** 9
scorch resistance of **1** 8, 9

Cuplump:
curing systems **3** 318
production of 'Harub' from **1** 27

Curing characteristics of NR:
compounds used for study of **1** 122
importance of **1** 120–121
in ACS 1 and sulphur/sulphenamide gum compounds **1** 123–127
in filled compounds employing varied vulcanisation systems **1** 127–130
single parameter characterisation **1** 131–132
test methods **1** 122, 133
variations dependent on clonal differences **1** 133

Decan Grana Process:
ABC coagulation in **1** 72, 74
adaptability of **1** 71
choice of granulators **1** 73
development of **1** 70
improving drier outputs in **1** 74
pre-cleaning of lower grades **1** 73
vulcanisation rate control and **1** 72
Degradative agents effect on NR:
studies on **1** 135, 136
*Degradative Changes in Ammoniated Latex: Effect at Onset Shown by High Speed Centrifugation* **5** 450
*Delayed Elasticity of 'Pure-Gum' Rubber Vulcanisates* **3** 331
*Determination of Dry Rubber Content of* Hevea Brasiliensis *by Latex Film Dialysis* **4** 389
*Developments in the Use of Natural Rubber as an Engineering Material* **2** 176
*Development of Network-bound Anti-Oxidants for Improved Ageing of Natural Rubber* **3** 289
Dry rubber content:
determination of by latex film dialysis: **4** 389–398
formic acid and ammonium chloride determination of **4** 394
nitrogen and ash contents **4** 395
procedure of methods for determining **4** 390, 392

EDTA **5** 443
*Effect of Physical Degradative Agencies on Some Molecular Parameters of Natural Rubber* **1** 135
Engineering material:
development of rubber springs **2** 185
factors affecting NR **2** 191–198
for floodgates **2** 180
NR usage in dockside fenders **2** 184
NR vehicle suspensions:
electric cars **2** 176–178
hovercraft landing pads **2** 179–182
hydrolastic (suspension) **2** 176
railway coaches **2** 180
road-making machinery **2** 179
rubber in industrial products **2** 219
use of in flats **2** 181

*Estimation of Certain Carbon Black-loaded Natural Rubber Vulcanisate Properties by Physico-Chemical Methods* **4** 375

Factory developments:
improvements in extruder **3** 268–270
management practices **3** 273
moulding processes **3** 270–273
rubber mixing **3** 265–268
*Five Years of Nat-Rubbers* **1** 71
Flex-cracking resistance **1** 7
Foam rubber **2** 220–222
*Freeze-resistant Natural Rubber Latex Concentrate* **5** 409
Fungicides for emulsion paints **5** 428

Granulators **1** 17, 72, 79

'Harub':
cure rate of **1** 34
factory processing **1** 29–32
production of cuplump **1** 27
production of latex **1** 26
specification standards for **1** 29
testing of latex and cuplump for production of **1** 27
Heveacrumb:
capital costs for establishing factory **1** 44
changes in Mooney viscosity on storage of **1** 66
coagulum grades of **1** 41
compounding of **1** 34
constant viscosity:
commercial production of **1** 61
effect of age of tree on Mooney viscosity of **1** 62
properties of **1** 65
consumers' reactions to **1** 48–50
effect of mixing clonal latices on properties of **1** 60, 61
effect of PRI on **1** 42, 43
influence of castor oil adhesion on oil **1** 8
low viscosity **1** 45
oil-extended **1** 47
peptised **1** 47
processing:
history of **1** 3
latex **1** 41, 57
versatility **1** 44
production of **1** 9, 43, 47–48
scorch resistance and **1** 8, 9
viscosity-stabilised:
choice of Mooney viscosity determination **1** 58, 65
sampling of **1** 57
viscosity variation control methods **1** 59
vulcanisate properties of **1** 66

*Homogeneity of Natural and Synthetic Rubber Compositions* **2** 242
*Improved Ageing of Natural Rubber by Chemical Treatments* **1** 104

Latex:
as binding medium **5** 441
coagulation of field **1** 82
compounding for improved performance **5** 441
curing systems for **5** 446
degradation of **5** 441–443
degradative changes in ammoniated **5** 450
effect of on bitumen **5** 431, 436–437
effect of seasonal variation on d.r.c. and total solids **1** 62
graft polymerisation of **5** 425–426
inhibiting agents of **5** 442
OENR masterbatch manufacture from **1** 91
pre-vulcanisation of for emulsion paints **5** 423, 425
production of HARUB from **1** 26
use of in road construction **5** 430
vulcanisation for improved performance **5** 443–449
Latex concentrate:
chemicals used to enhance freeze-stability of **5** 410, 415
effect of freezing conditions on latex stability **5** 409, 411
effect of phenolic compounds on freezing **5** 413–415
effect of salts and sugar on freezing of **5** 412–413
effect of surface active agents on freeze stability of **5** 411, 412
general purpose freeze-thaw stable **5** 415
technological properties of freeze-thaw stable **5** 416–420
Latex film dialysis **4** 389

Mastication of rubber of different PRI **1** 109
*Materials in Relation to Rubber Factory Developments* **3** 265
Medical research with NR **2** 223
*Molecular Structure of Isoprene Polymers* **2** 215
Molecular weight distribution in NR **4** 137, 139, 141
Monsanto Rheometer for quality control of NR **4** 399–406
Monsanto Rheometer tests **1** 122, 133
Mooney viscometer tests **1** 122, 133
*Morphology of Aggregates: Particle Size and 'Structure' of Carbon Black from Electron Micrographs* **4** 381

NAT-rubber (*see also* Decan Grana Process):
marketing of **1** 75–77
Natural rubber (*see also* under SMR, new process rubbers, block rubbers):
advantages of new type **1** 37
ageing properties of chemically treated **1** 111
aid to medical research **2** 223
and macromolecular chemistry **2** 201
appraisal of future of **1** 10–13

Natural rubber (contd.):
as an engineering material **2** 176–189, 219
characteristics of raw **3** 331–333
cleaning and drying plant (screw press) for **1** 87–90
comparison of OENR masterbatch and OENR dry-mixed **1** 101
compounding latex for improved performance **5** 441
compounds for tyres **2** 145–150, 158–159, 162–164
constant viscosity advantages of **1** 6, 7
CV rubbers **1** 85
Decan Grana Process **1** 70
economic comparisons of synthetic and **1** 1–4
effect of physical degradative agencies on **1** 135
effect of plastication upon quality **1** 4
factors affecting articles of:
creep and stress relaxation **2** 195–198
fatigue failure **2** 191–195
homogeneity of synthetic and **2** 242
improved ageing of **1** 105, **3** 289
investigation of commercial **3** 331
marketing of **1** 75–77
molecular distribution in **1** 137
new concepts in vulcanisation of **3** 317–328
new presentation of **1** 14
OENR masterbatch:
blending of masterbatch ingredients **1** 92
evaluation of **1** 94–98
effect of carbon black type **1** 98
effect of curative levels **1** 98
preparation of oil emulsion for **1** 91
oil-extension on of at latex stage **1** 91
packing **1** 81, 82
pallet shipment of **1** 3–7
processing steps for **1** 2–4
processing technique of **2** 223
pure gum blends with elastomers **2** 247
quality control requirements **4** 399
quality of **2** 216
sensitivity to higher vulcanising temperatures **1** 11, 12
sources of **1** 78
sunlight degradation **1** 138, 139, 141
symbiotic relations with SR **2** 214–224
uniformity and processability of new type **1** 26
use in pipe sealing rings **2** 165
use of for tyre treads **2** 300
use of Monsanto rheometer for quality control of **4** 399–406
viscosity-stabilised **1** 33
vulcanisates with improved dynamic properties **3** 275
*Natural Rubber and its Traditional Use in Underground Pipe Sealing Rings* **2** 165

*Natural Rubber in Tyres* **2** 145, 217–218
*New Concepts in Vulcanisation of Natural Rubber* **3** 317
Nitrol effect on vulcanisate properties **3** 279–287
NR Tyre:
amount used for **3** 300
factors affecting service requirements **3** 300
studies of changes in tread vulcanisates of **3** 300
*NR Vulcanisates with Improved Dynamic Properties* **3** 275

*Occurrence and Prevention of Changes in Chemical Structure of Natural Rubber Tyre Tread Vulcanisates during Service* **3** 300
Oil-extended NR **1** 47, 72, 77, 86
*Oil Extension of Natural Rubber at Latex Stage* **1** 91

Paints:
fungicides for emulsion **5** 428
use of latex in **5** 423
Pipe sealing rings:
corrosion of by micro-organisms **2** 166–173
use of in underground **2** 165

Polymers:
macromolecular research:
graft and block copolymers **2** 201
methods for making ladder polymers **2** 209
synthesis of new materials for use in high temperatures **2** 206
use of polymers as catalysts for organic reactions **2** 206
molecular structure of isoprene polymers **2** 215–216
recent macromolecular research in:
catalysts for organic reactions **2** 203–206
graft and block copolymers **2** 201–203
synthesis of new materials **2** 206–210
PRI **3** 331
PRI changes resulting from soaking treatments **1** 105–109
PRI testing **1** 27

*Recent Aspects of Block Natural Rubber Production by Mechanical Methods* **1** 78
*Recent Research in Polymer Chemistry* **2** 201
Rheological analysis **3** 335
Road construction with NR latex **5** 430
Rubber technology **2** 318

Scorch resistance of crumb rubber **1** 8, 9
Screw press (for cleaning and drying NR):
cleaning efficiency **1** 88–89
design of **1** 87–88
moisture removal **1** 89
quality of NR produced by **1** 89–90
*Screw Press—Heart of an Integrated Cleaning and Drying Plant for Natural Rubber* **1** 87
*Some Factors Affecting the Service Life of Natural Rubber Articles* **2** 191

Standard Malaysian Rubber:
introduction of **1** 21–22
modifications to **1** 24
new presentation processes and **1** 14
operation of **1** 22
specifications **1** 29
success of **1** 22–24
*Streptomyces* spp. in relation to corrosion of vulcanisates **2** 166–173
*Structural Requirements for NR Vulcanisates with Improved Flex Resistance after Ageing* **3** 354
*Studies on Thiazole-accelerated Sulphur Vulcanisation of Rubber* **3** 343
Sunlight degradation **5** 428
*Symbiotic Relations Between Natural and Synthetic Rubber* **2** 214
Synthetic rubber:
comparison with NR:
processing characteristics **2** 225
vulcanisate properties **2** 229–237, 239, 240
economic comparisons of NR and synthetic **1** 1–4
homogeneity of NR and **2** 242
quality of **2** 216
symbiotic relations between natural and **2** 214–224

Tyre performance and low Mooney viscosity **1** 9, 10
Tyre tread:
changes **3** 300
flex-cracking resistance **1** 7, 8
properties of **3** 275
Tyres:
abrasion and tread wear of **2** 232
agricultural **2** 162
aircraft requirements of **2** 162
low Mooney in performance of **1** 9
NR and SR usage in **2** 146–148, 217–218
passenger car:
compounds in **2** 148–150, 157–158
groove cracking resistance in **2** 155
skid resistance of **2** 150–154
wear of **2** 154
requirements of **2** 145–148, 162–164
truck:
compounds in **2** 158–159
groove cracking of **2** 160
heat build-up in **2** 160–161
rib tearing in **2** 161
wear of **2** 159

*Uniformity and Processability of New Type NR* **1** 26

*Use of Monsanto Rheometer for Quality Control of Raw and Compounded Natural Rubber* **4** 399
*Use of Natural Rubber Latex in Paints* **5** 423
*Use of Natural Rubber Latex in Road Construction* **5** 430

Viscoelastic relaxation **3** 334
Viscosity-stabilised rubbers **1** 56, 85
Vulcanisates:
analysis of stress-relaxation of **3** 334
calculation of properties from relaxation results **3** 337
changes in structure of NR tyre-tread **3** 300
comparison of creep cured with dicumyl peroxide and conventional systems **3** 309–315
corrosion of in pipe sealing rings **2** 165
creep of 'pure-gum' rubber **3** 309
delayed elasticity of 'pure-gum' rubber **3** 331
efficient vulcanisation systems for **3** 356
micro-organisms attack on **2** 168–173
new concepts in **3** 317
physico-chemical examination of carbon black-loaded properties **4** 375–379
polysulphidic as against monosulphidic **3** 354
properties of **2** 229, **3** 324
structural requirements for **3** 354
use of for engineering material **2** 185–189
Vulcanisation:
agents used for **3** 317, 318
non-sulphur **3** 317, 318
of synthetic polyisoprenes **2** 229
sulphur **3** 317
thiazole-accelerated sulphur **3** 343–352